

## Linear Potentiometer LP 75

The LP 75 is a linear potentiometer which is designed to measure the gear position, throttle position or suspension movement.

Its operating mode is based on the linear tape potentiometer principle where the distance travelled between the moving ends to the wiper is proportional to the resistance between them.

The advantage of this LP is its precise and compact design with hard metal housing and low power consumption.



Application	
Application	0 ... 75 mm
Temperature range	-30 ... 100 °C
Max. vibration	126 m/s <sup>2</sup> @ 10 ... 12 kHz

Electrical Data	
Power supply	5 V
Power supply max.	67 V
Nominal resistance	3 kΩ
Resistance tolerance	10 %
Non-linearity	0.15 %

Connectors and Cables	
Connector	ASL 6-06-05PA-HE
Connector loom	ASL 0-06-05SA-HE
Pin 1	Us
Pin 2	Gnd
Pin 3	Sig
Pin 4	-
Pin 5	-
Sleeve	DR-25
Cable size	AWG 24
Cable length L	15 ... 25 cm
Various motorsports and automotive connectors on request.	
Please specify the requested cable length with your order.	

Mechanical Data	
Weight w/o cable	78 g
Min. length	223.6 mm
Mounting	2 x M5
Tightening torque	10 Nm
Protection	IP66
Max. shaft velocity	10 m/sec

Characteristic	
Signal output	0.5 ... 99.5 %

Application Hint	
The LP 75 can be connected directly to most electronic control units and data logging systems.	
Ball joints at shaft end and case.	
Each mounting orientation is possible.	
Please find further application hints in the offer drawing ( <a href="http://www.bosch-motorsport.com">http://www.bosch-motorsport.com</a> ).	

Part Number	
LP 75	<b>B 261 209 856</b>

